

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

· **Trade name:** Multi Chlorine Granules

· **Registration number** Mixture

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Product category** PC37 Water treatment chemicals

· **Application of the substance / the mixture** Water treatment

· **Uses advised against**

Any use involving aerosol formation or vapour release in excess of the assigned Workplace Exposure Limit where workers are exposed without suitable Respiratory Protective Equipment.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Processes involving extreme heat use advised against.

Processes involving the use of incompatible substances - refer to section 10.

#### 1.3 Details of the supplier of the safety data sheet

· **Supplier:**

SCP UK Ltd

Church Road, Crawley,

RH11 0PQ,

UK

Tel: +44 (0) 1293 546 126 (office hours)

email: eu.sds@poolcorp.com

· **Further information obtainable from:** Product safety department.

#### 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

· **Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 4 H302 Harmful if swallowed.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS05



GHS07



GHS09

(Contd. on page 2)

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 1)

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Troclosene sodium, dihydrate  
Aluminium sulphate (anhydrous)
- **Hazard statements**  
H302 Harmful if swallowed.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H410 Very toxic to aquatic life with long lasting effects.
- **Precautionary statements**  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**  
EUH031 Contact with acids liberates toxic gas.  
Contains biocidal products: copper sulphate pentahydrate
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

#### · **Dangerous components:**

CAS: 51580-86-0 EC number: 610-700-3 Reg.nr.: 01-2119489371-33-XXXX	Troclosene sodium, dihydrate Alternative CAS number: 2893-78-9 ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335, EUH031	50 – 100%
CAS: 10043-01-3 EINECS: 233-135-0 Reg.nr.: 01-2119531538-36-XXXX	Aluminium sulphate (anhydrous) ⚠ Eye Dam. 1, H318	3 – 10%
CAS: 7758-99-8 EC number: 616-477-9	copper sulphate pentahydrate ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Acute Tox. 4, H302 ATE: LD50 oral: 481 mg/kg	0.25 – < 1%

(Contd. on page 3)

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 2)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

##### · **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

##### · **After skin contact:**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

##### · **After eye contact:**

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

##### · **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

· **Information for doctor:** Treat symptomatically and supportively.

#### · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

##### · **Suitable extinguishing agents:**

Alcohol resistant foam

Carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

##### · **For safety reasons unsuitable extinguishing agents:**

Water with full jet

Do not use ABC extinguishers containing nitrogen, due to risk of violent chemical reaction.

#### · 5.2 Special hazards arising from the substance or mixture

Not combustible but enhances combustion of other substances.

In case of fire, the following can be released:

Nitrogen oxides (NO<sub>x</sub>)

Chlorine gas

Chlorine compounds

#### · 5.3 Advice for firefighters

##### · **Protective equipment:**

Wear fully protective suit.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

##### · **Additional information**

Cool endangered receptacles with water spray.

(Contd. on page 4)

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 3)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

#### · 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

#### · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Do not use combustible materials such as paper towels to clean up spills.

DO NOT transport wet or damp material. Damp material should be neutralized to a safe state.

Every attempt should be made to avoid mixing spilled material with other chemicals or debris when cleaning up.

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Do not mix with acids.

Safety showers and eye wash facilities should be available at the work area.

Any unavoidable deposit of dust must be regularly removed.

Keep away from heat and direct sunlight.

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Never add water to the product. Always add product to large quantities of water.

Rinse contaminated clothing with plenty of water (Fire hazard)

#### · Information about fire - and explosion protection:

Substance/product can reduce the ignition temperature of flammable substances.

#### · 7.2 Conditions for safe storage, including any incompatibilities

##### · Storage:

· **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

##### · Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Store away from foodstuffs.

(Contd. on page 5)

GB

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 4)

- Store away from oxidising agents.
- Do not store together with acids.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** 11
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

##### · Ingredients with limit values that require monitoring at the workplace:

##### **51580-86-0 Troclosen sodium, dihydrate**

WEL	Short-term value: 0.07 mg/m <sup>3</sup> Long-term value: 0.02 mg/m <sup>3</sup> Sen; as -NCO
-----	---

##### **10043-01-3 Aluminium sulphate (anhydrous)**

WEL	Long-term value: 2 mg/m <sup>3</sup>
-----	--------------------------------------

##### · DNELs

##### **51580-86-0 Troclosen sodium, dihydrate**

Oral	Long-term systemic effects	1.15 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	1.15 mg/kg bw/day (general population) 2.3 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	1.99 mg/m <sup>3</sup> (general population) 8.11 mg/m <sup>3</sup> (worker)

##### **10043-01-3 Aluminium sulphate (anhydrous)**

Oral	Long-term systemic effects	1.9 mg/kg bw/day (general population)
	Short-term systemic effects	92.4 mg/kg bw/day (general population)
Dermal	Short-term systemic effects	23.35 mg/kg bw/day (general population) 46.7 mg/kg bw/day (worker)
	Long-term systemic effects	855 µg/kg bw/day (general population) 1,710 µg/kg bw/day (worker)
	Short-term systemic effects	441 µg/kg bw/day (general population) 882 µg/kg bw/day (worker)
	Long-term local effects	441 µg/kg bw/day (general population) 882 µg/kg bw/day (worker)
Inhalative	Long-term systemic effects	1.5 mg/m <sup>3</sup> (general population) 3 mg/m <sup>3</sup> (worker)
	Short-term systemic effects	1 mg/m <sup>3</sup> (general population) 2 mg/m <sup>3</sup> (worker)
	Long-term local effects	1.5 mg/m <sup>3</sup> (general population) 3 mg/m <sup>3</sup> (worker)

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 5)

	Short-term local effects	1 mg/m <sup>3</sup> (general population) 2 mg/m <sup>3</sup> (worker)
--	--------------------------	--

### · PNECs

#### 51580-86-0 Troclosene sodium, dihydrate

Freshwater	170 ng/L
Freshwater - Intermittent releases	1.7 µg/L
Marine water	1.52 mg/L
Sewage Treatment Plant	590 µg/L
Sediment (freshwater)	7.56 mg/kg
Soil	756 µg/kg

#### 10043-01-3 Aluminium sulphate (anhydrous)

Freshwater	4.5 mg/L
Freshwater - Intermittent releases	30.11 mg/L
Marine water	64 mg/L
Sewage Treatment Plant	60.2 mg/L
Sediment (freshwater)	10 mg/kg
Sediment (marine water)	31.4 mg/kg
Air	2 mg/m <sup>3</sup>
Soil	58 mg/kg
Secondary poisoning	150 mg/kg food

· **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Do not eat, drink, smoke or sniff while working.

Do not breathe dust

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Contaminated clothes are a fire hazard. Rinse with plenty of water.

· **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 6)

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles conforming to EN166.

· **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

· **Risk management measures** The operators shall be instructed adequately.

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· <b>Physical state</b>	Solid
· <b>Colour:</b>	White
· <b>Odour:</b>	Like chlorine
· <b>Odour threshold:</b>	Not determined.
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
· <b>Flammability</b>	Not determined.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	Not applicable.
· <b>Auto-ignition temperature:</b>	250 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH</b>	Not applicable.
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not applicable.
· <b>Dynamic:</b>	Not applicable.
· <b>Solubility</b>	
· <b>water:</b>	Soluble.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure:</b>	Not applicable.
· <b>Density and/or relative density</b>	
· <b>Density:</b>	Not determined.

(Contd. on page 8)

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 7)

· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not applicable.
· <b>9.2 Other information</b>	NOTE: The physical data presented above are typical values and should not be construed as a specification.
· <b>Appearance:</b>	
· <b>Form:</b>	Granulate
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not self-igniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not applicable.
· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
Decomposes on heating, on contact with acids and under influence of light producing toxic and corrosive gases including chlorine.
- **10.3 Possibility of hazardous reactions**  
Reacts violently with combustible and reducing materials, causing fire and explosion hazard.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**  
Strong acids and oxidising agents  
Strong bases.  
Ammonia  
Combustible materials.

(Contd. on page 9)

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 8)

Reducing agents

**10.6 Hazardous decomposition products:**

Carbon monoxide and carbon dioxide

Hydrogen cyanide (prussic acid)

Chlorine compounds

Nitrogen oxides (NO<sub>x</sub>)

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
**Acute toxicity**

Harmful if swallowed.

**LD/LC50 values relevant for classification:**
**ATE (Acute Toxicity Estimates)**

Oral	LD50	1,674.1 mg/kg (rat)
------	------	---------------------

**51580-86-0 Troclosen sodium, dihydrate**

Oral	LD50	1,500 mg/kg (rat)
------	------	-------------------

Dermal	LD50	> 5,000 mg/kg (rabbit)
--------	------	------------------------

**10043-01-3 Aluminium sulphate (anhydrous)**

Oral	LD50	> 2,000 mg/kg (rat)
------	------	---------------------

Dermal	LD50	> 5,000 mg/kg (rabbit)
--------	------	------------------------

Inhalative	LC50/4 h	> 5 mg/l (rat)
------------	----------	----------------

**7758-99-8 copper sulphate pentahydrate**

Oral	LD50	481 mg/kg (ATE)
------	------	-----------------

		481 mg/kg (rat)
--	--	-----------------

Dermal	LD50	> 2,000 mg/kg (rabbit)
--------	------	------------------------

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.

**Additional toxicological information:**
**Acute effects (acute toxicity, irritation and corrosivity)**

EFFECTS OF SHORT-TERM EXPOSURE: The substance irritates the eyes, the skin and the respiratory tract. Corrosive on ingestion.

(Contd. on page 10)

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 9)

### · 11.2 Information on other hazards

#### · Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

### · 12.1 Toxicity

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** Contains components with the potential to bioaccumulate.

· **12.4 Mobility in soil** No further relevant information available.

### · 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

### · 12.7 Other adverse effects

· **Remark:** Very toxic for fish

### · Additional ecological information:

#### · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

## SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

#### · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

#### · Uncleaned packaging:

#### · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 11)

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 10)

Do not mix with other waste streams.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR/RID/ADN, IMDG, IATA**

UN3077

· **14.2 UN proper shipping name**

· **ADR/RID/ADN**

UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Troclosene sodium, dihydrate)

· **IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Troclosene sodium, dihydrate, copper sulphate pentahydrate), MARINE POLLUTANT

· **IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Troclosene sodium, dihydrate)

· **14.3 Transport hazard class(es)**

· **ADR/RID/ADN**

· **Class**

9 (M7) Miscellaneous dangerous substances and articles.

· **Label**

9

· **IMDG, IATA**

· **Class**

9 Miscellaneous dangerous substances and articles.

· **Label**

9

· **14.4 Packing group**

· **ADR/RID/ADN, IMDG, IATA**

III

· **14.5 Environmental hazards:**

Product contains environmentally hazardous substances: Troclosene sodium, dihydrate

· **Marine pollutant:**

Symbol (fish and tree)

· **Special marking (ADR/RID/ADN):**

Symbol (fish and tree)

· **Special marking (IATA):**

Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.

(Contd. on page 12)

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 11)

· <b>Hazard identification number (Kemler code):</b>	90
· <b>Hazchem Code:</b>	2Z
· <b>EMS Number:</b>	F-A,S-F
· <b>Stowage Category</b>	A
· <b>Stowage Code</b>	SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	DO NOT transport wet or damp product. Amounts up to 5kg or 5L per single or inner package are not regulated according to ADR/RID SP 375, IMDG 2.10.2.7 and IATA SP A197.
· <b>ADR/RID/ADN</b>	
· <b>Limited quantities (LQ)</b>	5 kg
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	(-)
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5 kg
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· <b>UN "Model Regulation":</b>	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TROCLOSENE SODIUM, DIHYDRATE), 9, III

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

#### · **Regulated explosives precursors**

None of the ingredients is listed.

#### · **Regulated poisons**

None of the ingredients is listed.

#### · **Reportable explosives precursors**

None of the ingredients is listed.

#### · **Reportable poisons**

None of the ingredients is listed.

#### · **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

(Contd. on page 13)

## Safety data sheet according to UK REACH

Printing date 13.06.2024

Version number 3 (replaces version 2)

Revision: 13.06.2024

**Trade name: Multi Chlorine Granules**

(Contd. of page 12)

- **Seveso category** E1
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · **Relevant phrases**

- H302 Harmful if swallowed.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH031 Contact with acids liberates toxic gas.

#### · **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

#### · **Department issuing SDS:** Product safety department.

#### · **Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- ATE: Acute toxicity estimate values
- Acute Tox. 4: Acute toxicity – Category 4
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

#### · **\* Data compared to the previous version altered.**